## Amendments to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application:

## **Listing of Claims**:

- 1. (currently amended) A hinged swing bracket assembly, comprising:
  - a first arm adapted to be connected to a support;
  - a second arm;
  - a first pivotal connection to connect said second arm to said first arm;
  - a third arm adapted to be connected to a cover;
  - a second pivotal connection to connect said third arm to said second arm; and
  - a first magnet disposed on an outer surface of said first arm at an end opposite to said first pivotal connection to releasably connect said second arm to said first arm.
- 2. (original) A hinged swing bracket assembly according to claim 1, wherein said second arm is releasably connected to said first arm.
- 3. (original) A hinged swing bracket assembly according to claim 1, wherein said third arm is releasably connected to said second arm.
- 4. (canceled)
- 5. (previously amended) A hinged swing bracket assembly according to claim 1, wherein a detent on said second arm is received by said first magnet.

- 6. (previously amended) A hinged swing bracket assembly according to claim 5, wherein said detent is made of metal.
- 7. (original) A hinged swing bracket assembly according to claim 3, wherein a second magnet is disposed on an outer surface of said second arm to releasably connect said third arm to said second arm.
- 8. (previously amended) A hinged swing bracket assembly according to claim 7, wherein a detent on said third arm is received by said second magnet.
- 9. (previously amended) A hinged swing bracket assembly according to claim 8, wherein said detent is made of metal.
- 10. (original) A hinged swing bracket assembly according to claim 1, wherein a slot in said first arm receives a mounting member on the support to secure said hinged swing bracket assembly to the support.
- 11. (previously amended) A hinged swing bracket assembly according to claim 1, wherein a mounting tab on said first arm is received by the support to secure said hinged swing bracket assembly to the support.
- 12. (previously amended) A hinged swing bracket assembly according to claim 1, wherein said first pivotal connection between said first arm and said second arm is a hinge.
- 13. (previously amended) A hinged swing bracket assembly according to claim 1, wherein said second pivotal connection between said second arm and said third arm is a hinge.

- 14. (previously amended) A hinged swing bracket assembly according to claim 1, wherein a mounting tab on said third arm receives a cover.
- 15. (original) A hinged swing bracket assembly according to claim 1, wherein said first, second and third arms are made of metal.
- 16. (original) A hinged swing bracket assembly, comprising:
  - a first arm having a first end and a second end and adapted to be connected to a support;
  - a second arm having first and second ends, said first end of said second arm being pivotally connected to said second end of said first arm and said second end of said second arm being releasably connected to said first end of said first arm; and
  - a third arm having first and second ends, said first end of said third arm being pivotally connected to said second end of said second arm and said second end of said third arm being releasably connected to said first end of said second arm.
- 17. (previously amended) A hinged swing bracket assembly according to claim 16, wherein a magnet is disposed on an outer surface proximal said first end of said first arm to releasably receive said second end of said second arm.
- 18. (previously amended) A hinged swing bracket assembly according to claim 17, wherein a detent on said second arm is received by said first magnet.
- 19. (previously amended) A hinged swing bracket assembly according to claim 18, wherein said detent is made of metal.

- 20. (previously amended) A hinged swing bracket assembly according to claim 16, wherein a magnet is disposed on an outer surface proximal said first end of said second arm to releasably receive said second end of said third arm.
- 21. (previously amended) A hinged swing bracket assembly according to claim 20, wherein a detent on said third arm is received by said magnet.
- 22. (previously amended) A hinged swing bracket assembly according to claim 21, wherein said detent is made of metal.
- 23. (original) A hinged swing bracket assembly according to claim 16, wherein a slot in said first arm receives a mounting member on the support to secure said hinged swing bracket assembly to the support.
- 24. (previously amended) A hinged swing bracket assembly according to claim 16, wherein a mounting tab on said first arm is received by the support to secure said hinged swing bracket assembly to the support.
- 25. (previously amended) A hinged swing bracket assembly according to claim 16, wherein a hinge pivotally connects said first arm and said second arm.
- 26. (previously amended) A hinged swing bracket assembly according to claim 16, wherein a hinge pivotally connects said second arm and said third arm.
- 27. (previously amended) A hinged swing bracket assembly according to claim 16, wherein a mounting tab on said third arm receives a cover.

- 28. (original) A hinged swing bracket assembly according to claim 16, wherein said first, second and third arms are made of metal.
- 29. (original) A hinged swing bracket assembly, comprising:
  - a first arm having a first end and a second end;
  - a slot in said first arm to receive a mounting member on a support;
  - a first mounting tab on said first arm adapted to be received by the support;
  - a second arm having first and second ends;
  - a first pivotal connection between said first end of said second arm and said second end of said first arm;
  - a first releasable connection between said first end of said first arm and said second end of said second arm;
  - a third arm having first and second ends;
  - a second pivotal connection between said first end of said third arm and said second end of said second arm;
  - a second releasable connection between said second end of said third arm and said first end of said second arm; and
  - a second mounting tab on said third arm adapted to receive a cover.
- 2930. (currently amended) A hinged swing bracket assembly according to claim 2829, wherein said first pivotal connection is a hinge.
- 3031. (currently amended) A hinged swing bracket assembly according to claim 2829, wherein said second pivotal connection is a hinge.
- 3132. (currently amended) A hinged swing bracket assembly according to claim 2829, wherein said first releasable connection is a magnet.

- 3233. (currently amended) A hinged swing bracket assembly according to claim 2829, wherein said second releasable connection is a magnet.
- 3334. (currently amended) A hinged swing bracket assembly according to claim 3132, wherein said first magnet is disposed on said first arm, and a first detent on said second arm is received by said first magnet.
- 3435. (currently amended) A hinged swing bracket assembly according to claim 3233, wherein said second magnet is disposed on said second arm, and a second detent on said third arm is received by said second magnet.
- 3536. (currently amended) A hinged swing bracket assembly according to claim 3334, wherein said first detent is made of metal.
- 3637. (currently amended) A hinged swing bracket assembly according to claim 3435, wherein said second detent is made of metal.
- 3738. (currently amended) A hinged swing bracket assembly according to claim 2829, wherein said first, second and third arms are made of metal.